

References for Seaweed and Aloe Vera

- 1) The bioavailability of magnesium from Wakame (*Undaria pinnatifida*) and Hijiki (*Hijikia fusiforme*) and the effect of alginic acid on magnesium utilization of rats. [Kikunaga S, Miyata Y, Ishibashi G, Koyama F, Tano K.](#) *Plant Foods Hum Nutr.* 1999;53(3):265-74
- 2) Digestibility of iodine from the seaweed *Undaria pinnatifida*]. [Yamada Y, Miyoshi T, Imaki M, Yoshimura T.](#) *Nippon Eiseigaku Zasshi.* 1986 Dec;41(5):817-21.
- 3) Digestibility and energy availability of Wakame (*Undaria pinnatifida*) seaweed in Japanese. [Yamada Y, Miyoshi T, Tanada S, Imaki M.](#) *Nippon Eiseigaku Zasshi.* 1991 Aug;46(3):788-94.
- 4) Pathway of alginic acid synthesis in the marine brown alga, *Fucus gardneri* Silva. [Lin TY, Hassid WZ](#) *J Biol Chem.* 1966 Nov 25;241(22):5284-97.
- 5) Isolation of guanosine diphosphate uronic acids from a marine brown alga, *Fucus gardneri* Silva. [Lin TY, Hassid WZ](#) *J Biol Chem.* 1966 Jul 25;241(14):3283-93.
- 6) Isolation of 24-oxocholesterol from the marine brown alga *Pelvetia canaliculata* (Phaeophyceae). [Motzfeldt AM](#) *Acta Chem Scand.* 1970;24(5):1846-7.
- 7) Alginate lyase in the brown alga *Laminaria digitata* (Huds.) Lamour. [Madgwick J, Haug A, Larsen B.](#) *Acta Chem Scand.* 1973;27(2):711-2.
- 8) Sulphated polysaccharides in brown algae. 3. The native state of dfucoidan in *Ascophyllum nodosum* and *Fucus vesiculosus*. [Larsen B, Haug A, Painter T](#) *Acta Chem Scand.* 1970;24(9):3339-52.
- 9) Strontium-calcium selectivity of alginates. [Haug A, Smidsrod O](#) *Nature.* 1967 Aug 12;215(102):757.
- 10) Strontium, calcium and magnesium in brown algae. [Haug A, Smidsrod O.](#) *Nature.* 1967 Sep 9;215(106):1167-8.
- 11) Two new auronones from marine brown alga *Spatoglossum variabile*. [Atta-ur-Rahman, Choudhary MI, Hayat S, Khan AM, Ahmed A.](#) *Chem Pharm Bull (Tokyo).* 2001 Jan;49(1):105-7.
- 12) A study of rubidium accumulation in *Euglena gracilis*. [Brenner ML, Maynard DN.](#) *Plant Physiol.* 1966 Oct;41(8):1285-8.
- 13) [The prospects for using marine algae]. [Vozzhinskaia VB, Luchina NP, Maksimova OV.](#) *Izv Akad Nauk Ser Biol.* 1993 Jul-Aug;(4):592-9.
- 14) Photoassimilation of organic compounds by autotrophic blue-green algae. [Hoare DS, Moore RB](#) *Biochim Biophys Acta.* 1965 Nov 29;109(2):622-5.
- 15) The blue-green algae. [Echlin P.](#) *Sci Am.* 1966 Jun;214(6):75-81.
- 16) [Photoreduction in algae]. [Ulubekova MV.](#) *Usp Sovrem Biol.* 1966 Mar-Apr;61(2):294-311.
- 17) Oxygen evolution in algae illuminated by modulated light. [Joliot P.](#) *Brookhaven Symp Biol.* 1966;19:418-33.
- 18) A new adenylate deaminase from red marine alga *Porphyra crispata*. [Su JC, Li CC, Ting CC.](#) *Biochemistry.* 1966 Feb;5(2):536-43.
- 19) [Coefficient of utilization and biological value of the protein in the unicellular green algae *Scenedesmus obliquus* as shown by balance studies in the rat]. [Kraut H, Jekat F, Pabst W.](#) *Nutr Dieta Eur Rev Nutr Diet.* 1966;8(2):130-44.
- 20) Removal of Pb(2+) by biomass of marine algae. [Hamdy AA](#) *Curr Microbiol.* 2000 Oct;41(4):239-45.

- 21) Biosorption of heavy metals by marine algae. [Hamdy AA](#) Curr Microbiol. 2000 Oct;41(4):232-8.
- 22) Screening of hexavalent chromium biosorbent for marine algae. [Lee DC, Park CJ, Yang JE, Jeong YH, Rhee HI](#). Appl Microbiol Biotechnol. 2000 Sep;54(3):445-8.
- 23) The binding of selenium to the lipids of two unicellular marine algae. [Gennity JM, Bottino NR, Zingaro RA, Wheeler AE, Irgolic KJ](#). Biochem Biophys Res Commun. 1984 Jan 13;118(1):176-82.
- 24) Anti-fouling role of antibiotics produced by marine algae and bryozoans. [Al-ogily SM, Knight-Jones EW](#). Nature. 1977 Feb 24;265(5596):728-9.
- 25) Antibiotic activity of marine algae against multi-antibiotic resistant bacteria. [Mahasneh I, Jamal M, Kashashneh M, Zibdeh M](#). Microbios. 1995;83(334):23-6.
- 26) The antibacterial activity of marine planktonic algae. [Duff DC, Bruce DL, Antia NJ](#). Can J Microbiol. 1966 Oct;12(5):877-84.
- 27) Marine natural products. [Faulkner DJ](#). Nat Prod Rep. 1991 Apr;8(2):97-147.
- 28) Benthic marine and blue-green algal species as a source of choline. [DaSilva E, Jensen A](#). J Sci Food Agric. 1973 Jul;24(7):855-61.
- 29) Anticoagulants from marine algae. [McLellan DS, Jurd KM](#). Blood Coagul Fibrinolysis. 1992 Feb;3(1):69-77.
- 30) Isolation of guanosine diphosphate uronic acids from a marine brown alga, *Fucus gardneri* Silva. [Lin TY, Hassid WZ](#). J Biol Chem. 1966 Jul 25;241(14):3283-93.
- 31) Arsenic biotransformation by the brown macroalga, *Fucus serratus*. [Geiszinger A, Goessler W, Pedersen SN, Francesconi KA](#). Environ Toxicol Chem. 2001 Oct;20(10):2255-62.
- 32) Fucoidan is the active component of fucus vesiculosus that promotes contraction of fibroblast-populated collagen gels. [Fujimura T, Shibuya Y, Moriwaki S, Tsukahara K, Kitahara T, Sano T, Nishizawa Y, Takema Y](#). Biol Pharm Bull. 2000 Oct;23(10):1180-4.
- 33) Application of the Sequential Elution Technique to Determine Cd and Cu Cellular Location in *Ulva lactuca* Linnaeus. [Costas RC, Lopez J](#). Arch Environ Contam Toxicol. 2001 Nov;41(4):427-35.
- 34) Biologically active steroid from the green alga *Ulva lactuca*. [Awad NE](#). Phytother Res. 2000 Dec;14(8):641-3.
- 35) Biochemical responses of the marine macroalgae *Ulva lactuca* and *Fucus vesiculosus* to cadmium and copper—from sequestration to oxidative stress. [Jervis L, Rees-Naesborg R, Brown M](#). Biochem Soc Trans. 1997 Feb;25(1):63S.
- 36) Biological properties of ulvan, a new source of green seaweed sulfated polysaccharides, on cultured normal and cancerous colonic epithelial cells. [Kaeffer B, Benard C, Lahaye M, Blottiere HM, Cherbut C](#). Planta Med. 1999 Aug;65(6):527-31.
- 37) Isolation of a polysaccharide with antiviral effect from *Ulva lactuca*. [Ivanova V, Rouseva R, Kolarova M, Serkedjieva J, Rachev R, Manolova N](#). Prep Biochem. 1994 May;24(2):83-97.
- 38) [Chemical composition of the most frequently encountered Black Sea algae and a trial of their biological activity on the laying capacity of hens]. [Bratova K, Ganovski K](#). Vet Med Nauki. 1983;20(7):83-8. Bulgarian.
- 39) [Effect of Black Sea algae on chicken egg production and on chick embryo development]. [Bratova K, Ganovski K](#). Vet Med Nauki. 1982;19(8):99-105. Bulgarian.

- 40) [Substance isolated from the kelp rhizoid identified as L-tryptophan shows high inhibition of breast cancer]. [Takahashi N, Ojika M, Dogasaki C, Nishizawa M, Fukuoka H, Sahara H, Sato N, Mori M, Kikuchi K](#). *Gan To Kagaku Ryoho*. 2000 Feb;27(2):251-5.
- 41) Effects of soluble sodium alginate on cholesterol excretion and glucose tolerance in rats. [Kimura Y, Watanabe K, Okuda H](#). *J Ethnopharmacol*. 1996 Oct;54(1):47-54.
- 42) Antitumor activity and immunological properties of marine algal polysaccharides, especially fucoidan, prepared from *Sargassum thunbergii* of Phaeophyceae. [Itoh H, Noda H, Amano H, Zhuang C, Mizuno T, Ito H](#). *Anticancer Res*. 1993 Nov-Dec;13(6A):2045-52.
- 43) Vanadium haloperoxidases from brown algae of the Laminariaceae family. [Almeida M, Filipe S, Humanes M, Maia MF, Melo R, Severino N, da Silva JA, Frausto da Silva JJ, Wever R](#). *Phytochemistry*. 2001 Jul;57(5):633-42.
- 44) Structure and function of vanadium-containing bromoperoxidases. [Wever R, Krenn BE, De Boer E, Offenberg H, Plat H](#). *Prog Clin Biol Res*. 1988;274:477-93.
- 45) Divinyl ethers and hydroxy fatty acids from three species of *Laminaria* (brown algae). [Proteau PJ, Gerwick WH](#). *Lipids*. 1993 Sep;28(9):783-7.
- 46) On the regiospecificity of vanadium bromoperoxidase. [Martinez JS, Carroll GL, Tschirret-Guth RA, Altenhoff G, Little RD, Butler A](#). *J Am Chem Soc*. 2001 Apr 11;123(14):3289-94.
- 47) Cytochrome P450 monooxygenases for fatty acids and xenobiotics in marine macroalgae. [Pflugmacher S, Sandermann H Jr](#). *Plant Physiol*. 1998 May;117(1):123-8.
- 48) 5-Lipoxygenase-derived oxylipins from the red alga *Rhodomenia pertusa*. [Jiang ZD, Ketchum SO, Gerwick WH](#). *Phytochemistry*. 2000 Jan;53(1):129-33.
- 49) The antidiabetic activity of aloes: preliminary clinical and experimental observations, Ghannam N et. al. *Hormone Research* 1986; 24: 288-294.
- 50) Vitamin C and aloe vera supplementation protects from chemical hepatocarcinogenesis in the rat. [Shamaan NA, Kadir KA, Rahmat A, Ngah WZ](#). *Nutrition* 1998 Nov-Dec 14:11-12 846-52.
- 51) Effect of Aloe vera leaves on blood glucose level in type I and type II diabetic rat models. [Okyar A, Can A, Akev N, Baktir G, Sutlupinar N](#). *Phytother Res* 2001 Mar 15:2 157-61.
- 52) The therapeutic potential of Aloe Vera in tumor-bearing rats. [Corsi MM, Bertelli AA, Gaja G, Fulgenzi A, Ferrero ME](#). *Int J Tissue React* 1998 20:4 115-8.
- 53) Characterization of Aloeride, a new high-molecular-weight polysaccharide from Aloe vera with potent immunostimulatory activity. [Pugh N, Ross SA, ElSohly MA, Pasco DS](#). *J Agric Food Chem* 2001 Feb 49:2 1030-4.
- 54) Isozymes of superoxide dismutase from Aloe vera. [Sabeh F, Wright T, Norton SJ](#). *Enzyme Protein* 1996 49:4 212-21.
- 55) Aloe-emodin is a new type of anticancer agent with selective activity against neuroectodermal tumors. [Pecere T, Gazzola MV, Mucignat C, Parolin C, Vecchia FD, Cavaggioni A, Basso G, Diaspro A, Salvato B, Carli M, Palu G](#). *Cancer Res* 2000 Jun 1 60:11 2800-4